

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
11 April 2002 (11.04.2002)


PCT

(10) International Publication Number  
WO 02/29661 A1

- (51) International Patent Classification<sup>7</sup>: G06F 17/60 (74) Agent: LEE, Young-Pil; The Cheonghwa Building, 1571-18 Seocho-dong, Seocho-gu, Seoul 137-874 (KR).
- (21) International Application Number: PCT/KR01/01628
- (22) International Filing Date:  
27 September 2001 (27.09.2001)
- (25) Filing Language: Korean
- (26) Publication Language: English
- (30) Priority Data:  
2000/57864 2 October 2000 (02.10.2000) KR
- (71) Applicant (for all designated States except US): SHT CO., LTD. [KR/KR]; 138-112 Seoul National University, San 56-1, Shinlim-dong, Kwanak-gu, Seoul 151-742 (KR).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): TAK, Seung-Ho [KR/KR]; 4-105 Plaza Apt., 223, Kil-dong, Kangdong-gu, Seoul 134-768 (KR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report

[Continued on next page]

(54) Title: SALE METHOD AND SYSTEM EMPLOYING PRODUCT PRICE VARYING DEPENDENT UPON VALID DATE OF PRODUCT



(57) Abstract: A sales method, a sales system, a bar code, and a bar code system, which vary a product's price according to the period elapsed from a manufacture date/hour to time of sale and predetermined data relating to a valid period by attaching a bar code, which includes the manufacture date/hour and predetermined data relating to a valid period, to the product or by printing the bar code, each having an expiration date, are provided. Thus, when customers select products whose discount rate is varied according to date and time elapsed from manufacture date/hour, problems relating to wasting and managing vicious stocks caused by last-in first-out purchase of products occurred during conventional distribution can be improved by encouraging first-in first-out purchase of products.

WO 02/29661 A1



---

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## SALE METHOD AND SYSTEM EMPLOYING PRODUCT PRICE VARING DEPENDENT UPON VALID DATE OF PRODUCT

### Technical Field

5           The present invention relates to a sales method and system for  
varying a product's price according to the expiration date of a product,  
and more particularly, to a sales method and system employing a  
product (which has a limited valid period from a manufacture date)  
whose price is varied according to the period elapsed from a  
10   manufacture date, and a bar code and system enabling the sales method  
and system. The present invention also relates to a dynamic price  
sales method and system for varying a product's price according to the  
period elapsed from manufacture date/hour to time of sale and  
predetermined data relating to a valid period by attaching a bar code,  
15   which includes the manufacture date/hour and predetermined data  
relating to a valid period, to the product or by printing the bar code.

### Background Art

          In general, in a case where products such as foods and medicines,  
20   are dealt among a manufacturer, a supplier, a seller, a distributor, and a  
customer, the products may deteriorate or decay during the distribution  
process and do harm to the human body. Thus, a valid period from the  
manufacture date of the products must be clearly indicated. As shown  
in FIG. 1, a bar code (15) is attached to a product produced by a  
25   manufacturer (10), the product is transported and delivered (20), and the  
transported product is sold by a seller and distributor (30). In general,  
products with a faraway expiration date are sold and distributed at a  
uniform price, and products with an upcoming expiration date are  
discounted. The uniform price of products is calculated at a

point-of-sale (POS) terminal (40). Bought products are consumed immediately or kept in cold storage (50). Products that have not been purchased but whose expiration date (D+5) has passed are thrown out and thus wasted (60). The likelihood of a product being purchased  
5 increases (32) for products manufactured more recently and decreases (34) for products manufactured a while ago. In other words, when choosing among products having the same price, customers prefer the product with the most time remaining until the expiration date.

As a result, many foods and medicines do not get sold during the  
10 distribution process, exceed the valid period, and are wasted. In the case of some specific foods, 30-50% of the total production is wasted. The waste cost first affects the distributor and the seller, then gets passed on to the producer and the supplier, and then finally, is included in the manufacturing cost and passed on to the customers.

15 In smaller grocery stores or traditional markets, there is a limited number of products available for purchase. Both sellers and customers can determine the freshness of a product by visual inspection or smell. As a result, sellers can give individualized discounts on items that are not as fresh. However, in larger markets such as supermarkets and  
20 hypermarkets, which offer many different kinds of products and use a large-scale sales method, customers selectively purchase products having the most recent manufacture date/hour, and thus it is very difficult to sell products according to first-in first-out. As a result, in order to clear stocks before expiration dates, products are discounted.  
25 Nevertheless, a certain percentage of the products remain unsold, exceed the valid periods, and are wasted.

POS terminals and bar code scanners are introduced and used in stores such as convenience stores, supermarkets, grocery stores, liquor . stores, drugstores, cosmetic stores, and merchandise stores to facilitate  
30 accurate, convenient, and easy sales and for inventory control.

Information such as the place of origin, manufacturer, and article code, for example, KAN, JAN, and EAN, are included in the bar code printed on the product. A bar code scanner at the POS terminal recognizes the bar code, and thus a price corresponding to a previously-entered article  
5 code is automatically displayed. The POS terminal is connected to a database of a server and is used to check sales stands for items, stocktaking, and automatic dispatch of order sheets for items with a decreased stockpile.

However, data relating to a manufacture date are not included in  
10 a conventional bar code. In general, a manufacture date and a valid period do harm to the human body. Thus, the expiration date and the manufacture date are separately printed on a specific part of a product for the purpose of quick visual identification, and a product's price cannot be automatically calculated at the POS terminal.

15 Further, since the data relating to manufacture date and time are not included in the conventional bar code, a manufacture date is printed on a separate position from where a bar code is printed, and a product must be sold at a uniform price regardless of the valid period, customers selectively purchase the most recently manufactured product. As a  
20 result, a product more than a couple of days old is wasted by time elapse due to a continuous vicious cycle, and wasting the product exceeding the valid period requires enormous costs, and problems related to processing environmental pollutants such as dioxins, occur during the wasting process. As a result, a lost revenue is large, and the loss is  
25 included in the manufacture and supply cost, and thus customers must purchase products whose price reflects the lost revenue.

In other words, all products are distributed according to sales profits excluding a difference between a purchasing price and a selling price, and a selling cost. Prices of products such as foods, medicines,  
30 cosmetics, and liquor, which all have limited valid periods, are uniform at

a purchasing time and sold at uniform prices, and thus customers prefer the most recently manufactured product. As a result, in a case where there are stockpiles of products that did not get purchased on the first day of sales, the products are proffered the next day. However, 5 customers prefer fresh products to three day-old products, so some of the day-old products remain unsold and are once again put out the next day. This vicious cycle continues until the products exceed the valid period and are wasted. The costs of the wasted products are passed on to the customers whether the distributor or the manufacturer bears a 10 lost revenue or not, and due to problems such as environmental pollution caused by waste, and the costs of the wasted products, enormous costs accrue.

Waste of products can be prevented by a method for managing stocks through sales by providing an exceptional discount at a time 15 approaching an expiration date. However, the quantity of products remaining since a purchasing date cannot be accurately checked, so stocks remain, and a vicious cycle inevitably occurs.

Further, since data relating to an expiration date are not included in a bar code, the expiration date of a product is separately attached to 20 the product, or printed data relating to an expiration date is to be referred to manually, determining the expiration date, or calculating a differential discount price becomes complicated.

#### Disclosure of the Invention

25 To solve the above problems, it is a first object of the present invention to provide a sales method for varying a product's price according to the expiration date of the product.

It is a second object of the present invention to provide a dynamic price sales method for varying a product's price according to the time 30 elapsed from the manufacture date/hour to time of sale and according to

predetermined data relating to the valid period by attaching a bar code that includes the manufacture date/hour and the predetermined data relating to the valid period to the product or by printing the bar code.

5 It is a third object of the present invention to provide a sales system for varying a product's price according to the expiration date of the product.

It is a fourth object of the present invention to provide a dynamic price sales system for varying a product's price according to the time elapsed from the manufacture date/hour to time of sale and according to  
10 predetermined data relating to the valid period by attaching a bar code that includes the manufacture date/hour and the predetermined data relating to the valid period to the product or by printing the bar code.

It is a fifth object of the present invention to provide a code for determining a product's price, the code including a time stamp bar code  
15 as an extended or separate sub bar code, in a bar code for automatically recognizing the product.

It is a sixth object of the present invention to provide a bar code for indicating the valid period in order to implement the sales method for varying a product's price according to the expiration date of the product.

20 It is a seventh object of the present invention to provide a bar code which includes the manufacture date/hour of a product, predetermined data relating to the valid period, and a predetermined identifier in a bar code for automatically recognizing a product including the country of origin, a manufacturer code, and an article code.

25 It is an eighth object of the present invention to provide a bar code system employing a bar code for indicating the valid period in order to implement the sales method employing a product's price according to the valid period of the product.

Accordingly, to achieve the first object, there is provided a sales

method for varying the price of a product according to the elapsed period from a manufacture date/hour to time of sale by attaching the manufacture date/hour of a product to the product itself or by printing the manufacture date/hour of the product on the product in a sales method of products, each having an expiration date.

To achieve the second object, there is provided a sales system in which a discount rate table and prices according to the time elapsed from a manufacture date/hour to time of sale determined by a point of sale (POS) server are transmitted through wires or wireless modem to be displayed on a price indication terminal at a display stand and are downloaded simultaneously into a POS counter and recorded in the POS counter, and the time elapsed from manufacture date/hour to time of sale is calculated by a real time clock (RTC) at the POS counter so that a discount rate and prices are determined, and a product's price is displayed to a customer .

To achieve the third object, there is provided a sales system. The sales system includes a bar code including data on the country of origin, a manufacturer code, and an article code and further including a manufacture date/hour of a product, predetermined data relating to a valid period, and a predetermined identifier, a bar code scanner for scanning the bar code, a time stamp bar code adaptor for reading the manufacture date/hour, the valid period, and the identifier from the contents of the bar code scanned by the bar code scanner and calculating a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, and a point of sale (POS) terminal for receiving a varied price from the time stamp bar code adaptor.

To achieve the fourth object, there is provided a sales system. The sales system includes a bar code including the country of origin, a manufacturer code, and an article code and further including the

manufacture date/hour of a product, predetermined data relating to a valid period, and a predetermined identifier, a bar code scanner for scanning the bar code, and a point of sale (POS) terminal comprising a program for reading the manufacture date/hour, the valid period, and the  
5 identifier from the contents of the bar code scanned by the bar code scanner and calculating a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, and a real time clock (RTC).

To achieve the fifth object, there is provided a sales system. The  
10 sales system includes a bar code including the country of origin, a manufacturer code, and an article code and further including manufacture date/hour of a product, predetermined data relating to a valid period, and a predetermined identifier, a bar code scanner for scanning the bar code, reading the manufacture date/hour, the valid  
15 period, and the identifier, and calculating a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, the bar code scanner comprising a real time clock (RTC), and a point of sale (POS) terminal for receiving a varied price from the bar code scanner.

20 To achieve the sixth object, there is provided a code for determining a varied price of a product, the code including a time stamp bar code as an extended bar code or a separate sub bar code is in a bar code used for automatic recognition of the product.

To achieve the seventh object, there is provided a bar code  
25 comprising a manufacture date/hour and predetermined data relating to a valid period, wherein the bar code is included in or separately attached to another bar code, which includes the country of origin, a manufacturer code, and an article code, used for automatic recognition of a product.

To achieve the eighth object, there is provided a bar code system

for reading data relating to a price employing a discount rate varied in units of time according to the period elapsed from a manufacture date/hour indicated on a sub bar code that was included in or separately attached to a conventional bar code that the price can be automatically  
5 calculated when manufacturing a product and/or forwarding the product from a factory.

It is preferable that a discount rate is calculated according to units of hours or days from a manufacture date/hour to time of sale in order to sell products that have a limited valid period at a varied price.

10 It is also preferable that the price of a product is varied according to the elapsed period from a manufacture date/hour to time of sale and according to data relating to a valid period by attaching the data relating to a valid period of the product to the product itself or by printing the data relating to a valid period on the product.

15 It is also preferable that a discount rate is calculated according to the elapsed period from a manufacture date/hour to time of sale and according to the valid period in order to sell products at a varied price. a predetermined identifier is further attached to the product or printed on the product, and the data relating to a valid period are indicated in units  
20 of hours when the identifier denotes time, indicated in units of days when the identifier denotes a day, and indicated in units of months when the identifier denotes a month.

It is also preferable that when data relating to a valid period is indicated by '0' for a product, the product does not have a valid period.

25 It is also preferable that a hybrid sales method is provided by applying a traditional sales method for giving reductions and something extra when sellers and distributors sell foods face-to-face to customers in a smaller grocery store or a traditional market, to a large-scaled market such as a supermarket, a hypermarket, and a  
30 mass-sales store.

It is also preferable that when purchasing a product via an internet network, mobile communications, or internet cyber trading, display video data are provided on a monitor at a lower end portion and side of a screen of the monitor so that a product can be selected after  
5 checking the discount rate according to the time elapsed from the manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and data relating to a valid period while seeing the actual product at a display stand through a camera.

It is also preferable that the product is sold to a specific purchaser  
10 such that the specific purchaser requesting a reservation purchase through internet can purchase products, which are bought periodically by the specific purchaser, at the cheapest price through cyber trading.

It is also preferable that the product is sold to a purchaser according to some questions such as price preferred, time preferred,  
15 regardless if the product was purchased and then returned to a seller, for determination of priority.

It is also preferable that a method for preventing sales receipt fabrication in which a signed sales receipt is put in an electronic envelope and can be only opened by a code key of banking facilities  
20 such that an individual trader cannot fabricate a sales receipt is employed.

It is also preferable that the price indication terminal further includes a bar code reader for inquiring about the current price of a product selected by a customer.

25 It is also preferable that the system further includes a camera used to observe products at sales stands, and a supplier can check whether or not a competitor's product is being displayed at the supplier's own display stand.

It is also preferable that when purchasing a product via an  
30 internet network, mobile communications, or internet cyber trading,

display video data are provided on a monitor at a lower end portion and side of a screen of the monitor so that a product can be selected after checking the discount rate according to the time elapsed from the manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and data relating to a valid period while seeing the actual product at a display stand through a camera.

It is also preferable that the product is sold to a specific purchaser such that the specific purchaser requesting a reservation purchase through internet can purchase products, which are bought periodically by the specific purchaser, at the cheapest price through cyber trading.

It is also preferable that the product is sold to a purchaser according to some questions such as price preferred, time preferred, and not asked about a returned product, for determination of priority.

It is also preferable that the system further includes an audio apparatus for sensing the presence of a human body by an infrared manual and automatic sensing method and for transmitting data related to a product to a customer when a person approaches the price indication terminal installed in front of the display stand.

It is also preferable that an elasticity sensor, a sugar content sensor, a salt content sensor, and a moisture sensor are installed near a targeted sales product so that a customer can know the elasticity, sugar content, salt content, and moisture of the targeted sales product in a market or a remote place without having to be there in person.

It is also preferable that the time stamp bar code adaptor includes a digital filter, a real time clock (RTC) having the present date and time, and an operator for calculating a valid period. The digital filter outputs a conventional article code, such as EAN, KAN, and JAN, to transmit to the POS terminal when the conventional article code is recognized by the bar code scanner and entered into the bar code scanner, and the digital filter transmits a time stamp bar code

including the manufacture date/hour, predetermined data relating to a valid period, and a predetermined identifier to the operator for calculating a valid period when the time stamp bar code is recognized by the bar code scanner and entered into the bar code scanner, and the  
5 operator for calculating a valid period calculates a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, which are entered into the digital filter.

It is also preferable that the time stamp bar code adaptor further includes a display unit for displaying the present date and time of the  
10 RTC, and a correction board such as a button for correcting the present date and time.

It is also preferable that the system further includes a price inquiry apparatus, and the price inquiry apparatus records data relating to temperature and humidity according the time elapsed from the  
15 manufacture date/hour to time of sale at a place where the product is stored or displayed when the price of a product to which a time stamp bar code is attached is checked.

It is also preferable that the POS terminal further refers to data relating to temperature and humidity at a place where the product is  
20 stored or displayed when the price of a product is checked.

It is also preferable that the bar code scanner further refers to data relating to temperature and humidity at a place where the product is stored or displayed when the price of a product is checked.

It is also preferable that the code is a bar code, a non-contact IC  
25 card, or a RF-ID tag.

It is also preferable that the wrapping paper of a product leaves empty space on the right side of a conventional article bar code, and the time stamp bar code is additionally recorded on the day of manufacture and printed along with a valid period and the manufacture date, which  
30 can be easily spotted visually by customers so that dual tasks can be

prevented and a time stamp bar code can be attached to the code when the code is a bar code.

It is also preferable that the added bar code is printed by an ink jet printing method, a heat-transfer printing method, or a heat-reduction printing method, a basic code is printed at the back side of the wrapping paper, and an additional code is stamped or printed at the front side of the wrapping paper so that a sub bar code, in which manufacture date is recorded is additionally recorded during production of the product, which has a wrapping paper that is made of a transparent material, in order to prevent the time stamp bar code from being fabricated and altered during distribution.

It is also preferable that the sub bar code corresponding to data such as a storage place and method as well as manufacture date/hour, is added to a product, such as wine, whose commercial value increases with time from the manufacture date/hour.

It is also preferable that a predetermined identifier is further included in the bar code, and the data relating to a valid period are indicated in units of hours when the identifier denotes a time, indicated in units of days when the identifier denotes a day, and indicated in units of months when the identifier denotes a month.

It is also preferable that when the data relating to a valid period is indicated by '0', the product does not have a valid period.

It is also preferable that an electronic signature is introduced such that a trader cannot deny a sales act during trading.

#### Brief Description of the Drawings

The above objects and advantages of the present invention will become more apparent by describing in detail preferred embodiments thereof with reference to the attached drawings in which:

FIG. 1 illustrates an example of a conventional distribution path of a product having an expiration date;

FIG. 2 illustrates an example of a sales method for varying a product's price according to the expiration date of the product, according to a first preferred embodiment of the present invention;

FIG. 3 illustrates a sales system employing the sales method of FIG. 2 for varying a product's price according to the expiration date of the product;

FIG. 4 illustrates an example of a bar code according to the present invention;

FIG. 5 illustrates a dynamic price sales system according to a second preferred embodiment of the present invention;

FIG. 6 illustrates a display unit of a time stamp bar code adaptor (TSBA);

FIG. 7 illustrates an example of a time stamp bar code (TSB) being generated, attached, and printed;

FIG. 8 illustrates an example in which the TSBA of FIG. 6 is applied between a conventional bar code scanner and a POS terminal;

FIG. 9 illustrates an example of a TSB algorithm implemented by software in a conventional POS terminal and a database;

FIG. 10 illustrates an example of a TSB function being applied to a bar code scanner having a real time clock (RTC);

FIG. 11 illustrates an example of a time stamp being applied to a radio frequency (RF)-ID;

FIG. 12 illustrates a present price inquiry apparatus of a product employing a TSB;

FIG. 13 illustrates an example of present price inquiry of a product employing a TSB;

FIG. 14 illustrates a dynamic price sales method having time elapsed, and a stock-optimization enhanced structure;

FIG. 15 a method for reducing a manufacturing cost resulting from inventory control according to time elapsed for each item and calculation of reasonable production according to time;

FIG. 16 illustrates a method for calculating a dynamic price of an item, which is perishable, according to the time elapsed from distribution;

FIG. 17 illustrates a method for indicating a discount rate according to time by a TSB index; and

FIG. 18 illustrates a TSB sales algorithm.

#### 10 Best mode for carrying out the Invention

The present invention keeps in close contact with and is applied to a conventional point of sale (POS) by introducing a technique for determining a product's price according to the expiration date of the product. As a result, items such as foods and medicines having a limited valid period are sold at prices varied according to time from manufacture date/hour so that customers determine purchasing at prices varied according to the date and time elapsed from the manufacture date/hour. For this purpose, in a first preferred embodiment of the present invention, as shown in FIG. 4, an extended sub bar code 250 is added to a conventional bar code 150. The conventional bar code 150 includes a country code 152, a manufacturer's (Mfg) code 154, and an article code 156, and the extended sub bar code 250 includes a time stamp 255. The time stamp 255 is comprised of YMMDDHHW or MMDDHH. Y, M, D, H, and W denote year, month, date, hour, and day, respectively. The extended sub bar code 250 may be comprised of 8-order or 6-order data, but this may be increased or decreased according to a designer's preference. It is preferable that the wrapping paper of a primarily printed product leaves space on the right side of a conventional article bar code for the extended sub bar code 250. A time stamp bar code is additionally recorded on the date of manufacture

and printed along with an expiration date and a manufacture date, which can be easily spotted by customers, so that dual tasks can be prevented.

In order to prevent the time stamp bar code from being fabricated and altered during distribution, the extended sub bar code 250 is first printed  
5 by an ink jet or a heat transfer printing method. Second, a basic code is printed at the back side of the wrapping paper, and an additional code is stamped or printed at the front side of the wrapping paper so that a sub bar code containing information or the manufacture date is additionally recorded during production of the product. Here, the wrapping paper is  
10 made of a transparent material.

A bar code is used in the first preferred embodiment. Instead of a bar code, a non-contact IC card, a RF-ID tag, or a similar calculation and managing method may be used, and a manufacture date may be applied by using a bar code as well as a non-contact IC card, the RF-ID  
15 tag, or the similar calculation and managing method. That is, the bar code is favored as the most appropriate for sales in a large-scaled market, but a method for calculating products selected by customers by using a RF-ID tag or non-contact IC card may be introduced in the present invention.

20 A sub bar code corresponding to data such as a storage place and method as well as manufacture date/hour can be added to products whose commercial value increases over time (i.e., from the manufacture date) in addition to products whose commercial value decreases over time (i. e., from the manufacture date). An example of a product whose  
25 commercial value increases over time is wine.

Hereinafter, a sales system for varying a product's price according to the valid period of the product which includes the above-mentioned bar code will be described with reference to FIG. 2.

A sales system similar to the sales system of FIG. 1 is shown in  
30 FIG. 2. That is, in FIG. 2, a bar code (110) including basic data of a

product is primarily printed and attached to a product produced by a manufacturer (100), and then a time stamp sub bar code (115) is additionally printed and attached to the product. Here, the time stamp sub bar code means an extended bar code. The product is transported and delivered (200), and the transported product is sold by a seller and distributor (300). In general, products within a valid period are sold and distributed at prices varied according to the valid period, and products approaching the expiration date are discounted. The prices of these products are calculated at a point-of-sale (POS) terminal (400) according to the valid period. In such a case, the manufacture date/hour attached to the product is read by the POS terminal (400), and then the prices of the products are calculated. Then, customers consume the products or keep them in cold storage (500). Products which have not been purchased and exceed the expiration date (D+5 and D+6) are thrown out and wasted (600).

Referring to FIG. 2, as an example, the time stamp sub bar code may be a time stamp indicated by "072109", which means that the product was manufactured on July 21, at 9:00 am. In a case where the time stamp sub bar code is indicated by "00721235", which means that the product was manufactured on July 21, 2000, Friday at 23:00 pm. Further, the price of a product, which is varied according to the present invention, is calculated to be 110% of the normal selling price in a case where the product is purchased on the date of manufacture (D) because it takes time to transport and deliver the product.

Further, in a case where the product is purchased one day after the manufacture date, the price of the product is calculated to be 100% of the normal selling price. In a case where the product is purchased two days after the manufacture date, the price of the product is calculated to be 90% of the normal selling price. In a case where the product is purchased three days after the manufacture date, the price of

the product is calculated to be 80% of the normal selling price. In a case where the product is purchased four days after the manufacture date, the price of the product is calculated to be 70% of the normal selling price. As a result, the product is sold at a discount of 10 - 30% off the normal selling price. In a case where the product remains unpurchased four or more days from the manufacture date, the product is thrown out and wasted.

As described above, a discount rate may be applied in increments of 10% according to the date elapsed since the manufacture date. However, in a case where a customer purchases foods distributed on the date of manufacture, 100% of the selling price is applied at a time when foods are displayed in a market, and 1% of the selling price is discounted for each hour that has elapsed from the manufacture date in consideration of a lost revenue according to the time elapsed from the manufacture date.

As mentioned above, customers can benefit from a discount of 10% or more by selecting a product that was not made that same day. Thus, foods having an expiration date can be sold on a first-in first-out at varied basis.

By introducing a new sales method, as described above, losses caused by perishing products provided by manufacturers and suppliers can be reduced. Further, losses to sellers and distributors can be reduced. As a result, the benefits of customers' selection of a discounted product can be returned to customers, thereby increasing the revenue of manufacturers, suppliers, sellers, and distributors and also returning profits instead of passing along losses to customers.

The sales method of bar code products having an added manufacture date/hour according to preferred embodiments of the present invention should be used in a conventional bar code system. That is, various discount rates according to information encoded on an

extended bar code of the present invention, such as the date and time elapsed from the manufacture date should be applied by the extended bar code according to the present invention when calculating the price of a product at a POS terminal.

5           Referring to FIG. 3, manufacture date and time of data relating to a manufacture date or a valid period which can be easily spotted visually are additionally recorded on products according to the present invention so as to be read continuously from the back side of a conventional bar code, or an extended bar code 415 on which separate time data are  
10           recorded is added to the products, which are placed on a display stand 440. The display stand 440 includes a first display 420 on which basic data relating to kinds and prices of articles are displayed, and a second display 430 on which discounted prices are displayed, thereby allowing customers to select discounted products where the discounted prices are  
15           determined by a program and provided from a POS server 410 to the second display 430 of the display stand 440. However, in general, such discounted prices can be included in the extended bar code 415, and thus a discounted price code indicated in the extended bar code 415 can be read when calculating the price of a product being purchased at a  
20           counter 450 to apply a discounted rate on the basis of time elapsed from manufacture date/hour for exact calculation. In such a case, data provided to the second display 430 are previously programmed into the POS server 410 and transmitted to the display stand 440 and counter 450.

25           If a discount is determined by the POS server 410, a discount rate and discounted price according to time elapsed from a manufacture date/hour, which are determined by the POS server 410, are transmitted to a price indication terminal 430 shown in FIG. 3 and displayed on the price indication terminal, and simultaneously, are downloaded into the  
30           counter 450. Time elapsed is calculated by a real time clock (RTC) of

the counter 450 at check-out time, and thus, a discount rate and a discounted price is determined and presented to customers.

The price indication terminal automatically displays indicates a discount rate and a discounted price at time of sale elapsed from manufacture date/hour on the display stand 440, and the discount rate and the discounted price can be applied when products selected by customers are brought to the counter 450.

Meanwhile, although not shown, when purchasing a product through cyber trading such as on the internet, a desired product can be selected while checking the discount rate according to the time elapsed from manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and the valid period, which are displayed at in a lower end portion and side of a screen of a monitor, while seeing the actual product at a display stand through a camera 460.

In this way, the present invention is applied to an internet e-commerce site so that customers can purchase products at prices varied according to valid periods. For this purpose, the camera 460, an internet server 480, and all kinds of sensors 490 and 492 for sensing the freshness and quality of products may be included. A supplier can check through the camera 460 whether a competitor's product is being displayed or not. Display video data may be provided for selecting a product after checking the discount rate according to the time elapsed from manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and the valid period, while seeing the actual product at a display stand through a camera when purchasing the product through an internet network, mobile communications, or internet cyber trading.

As shown in FIG. 3, all kinds of sensors 490 and 492, such as an elasticity sensor, a sugar content sensor, a salt content sensor, and a moisture sensor, are installed in a targeted sales product so that a

customer can know the freshness and quality of products in a market or so that a customer connecting through the internet server 480 can know the elasticity, sugar content, salt content, and moisture of products in a remote place without having to be there in person. In this way, in the  
5 present invention, the price of a product and a lost revenue according to time elapsed are calculated, and a bargain price can be determined and discounted when purchasing products having lower freshness.

Meanwhile, as shown in FIG. 3, the sales system further includes an audio apparatus 494 for transmitting data related to a  
10 product to a customer when the customer approaches the price indication terminal installed in front of the display stand 440. Here, the audio apparatus, which senses the presence of a human body by using an infrared manual and automatic sensing method, is a MP3 decoder having an infrared sensor. Thus, data relating to a product are  
15 automatically indicated for a customer when a person approaches the price indication terminal, thereby promoting customer's purchasing.

As described above, it is effective to install and operate a price indication terminal for informing a discount rate to customers when a product to which a manufacture date is attached is sold in a supermarket  
20 or hypermarket and for indicating the price of a customer's selection. That is, a terminal for determining the characteristics and a lost revenue according to a valid period of a product elapsed from manufacture date/hour, applying a discount rate, and indicating the price and discount rate of the product at a display stand is required. The price indication  
25 terminal is connected to a conventional POS server, shares data such as price and discount rate with a POS terminal, and reads the discount rate of a product selected by a customer so that the discount rate can be applied to the calculation of the product's price.

As a result, when customers select products where which  
30 discount rate is varied according to date and time elapsed from

manufacture date/hour, the amount of wasted products can be reduced because perishable products are purchased on a first-in first-out basis rather than a last-in first-out basis. There was no choice for a conventional point of sale (POS) and a conventional bar code calculation method. However, in the present invention, data such as  
5 manufacture date/hour can be recorded as an extended bar code of a bar code and provide a price varied according to the time elapsed from manufacture date/hour by employing a new sales method. Thus, this new sales method offers customers the benefit of selecting a discounted  
10 product to and returns a higher revenue to a manufacturer, supplier, distributor, and seller. Also, the new sales method has more competitive power than the conventional sales method.

FIG. 5 illustrates an example of a dynamic price sales system according to a second preferred embodiment of the present invention.

15 Referring to FIG. 5, the dynamic price sales system includes a bar code 510, a bar code scanner 530, a time stamp bar code adaptor 520, and a POS terminal 540.

The dynamic price sales system can be also recognized by a conventional bar code 512 including the country of origin, a  
20 manufacturer code, and an article code. The bar code 510 further includes manufacture date/hour, a predetermined valid period, and a predetermined identifier as well as the country of origin, the manufacturer code, and the article code. Both the conventional bar code 512 and the bar code 510 according to the present invention can  
25 be scanned by a conventional bar code scanner 530.

Further, the time stamp bar code adaptor 520 (hereinafter, referred to as a 'TSBA') for recognizing the bar code 510 according to the present invention in a conventional POS terminal 540 is located between the bar code scanner 530 and the POS terminal 540. The  
30 TSBA 520 reads the manufacture date/hour, the valid period, and the

identifier among the contents of the bar code scanned by the bar code scanner 530 and calculates a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier. The price calculated is output to the POS terminal 540 from the TSBA 520.

The TSBA 520 includes a digital filter 522, a real time clock 526 (hereinafter, referred to as a 'RTC') having present date and time, and an operator 524 for calculating a valid period. The digital filter 522 outputs a conventional bar code 512 such as EAN, KAN, and JAN, to be transmitted to the POS terminal when the conventional bar code 512 is recognized by the bar code scanner 530 and entered into the bar code scanner 530. Further, the digital filter 522 transmits a bar code 510 of a time stamp (hereinafter, referred to as a 'TSB') including a manufacture date/hour, a predetermined valid period, and a predetermined identifier to the operator 524 for calculating a valid period when the TSB 510 is recognized by the bar code scanner 530 and entered into the bar code scanner 530. The operator 524 for calculating a valid period calculates a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, which are entered into the digital filter 522. For example, the operator 524 for calculating a valid period calculates time elapsed by subtracting the present time of the RTC 526 from the valid period to the manufacture date/hour of the TSB 510, thereby dividing the time n-times, adding an extended bar code to a conventional bar code, and outputting the extended bar code. The POS terminal 540 is connected to a POS server 550, transmits and receives data relating to a sale, and displays an item table and sub time table 542.

FIG. 6 illustrates a display unit 570 of the TSBA 520. Referring to FIG. 6, the TSBA 520 further includes the display unit 570 for displaying the present date and time of the RTC and a correction board

(not shown) such as a button for correcting the present date and time. An example of a screen displayed on the display unit 570 is shown by reference numerals 612, 614, and 616. First, the present date, the present time, and an identification number of a product having a TSB, for example, TSB50, are displayed on the display unit 570 (612). Next, time elapsed calculated by the operator 524 (FIG. 5) for calculating a valid period, a discount rate, and a varied price are displayed on the display unit 570 (614). Then, the time elapsed, the identification number TSB50, and the discount rate are displayed on the display unit 570 (616). Subsequently, as shown by reference numeral 612, the order in which present date, present time, and the identification number TSB50 are displayed is circulated at a predetermined interval, or by entering a predetermined button. The present date and time is displayed on the display unit 570 so that a customer can check the present time when the price of the product 610 having a TSB is calculated. Further, the RTC in the TSBA 520 has a button for adjusting the clock displayed on the display unit 570, such as a liquid crystal display (LCD), the TSBA 520, or the RTC in the TSBA 520 is synchronized with a clock of the TSBA 520 by software separately provided to the POS server 550 (FIG. 5) or the POS terminal 540.

FIG. 7 illustrates an example of the TSB 510 is being generated, attached, and printed. Referring to FIG. 7, the TSB 510 includes the manufacture data/hour and predetermined data relating to the valid period, which may be included as a separate bar code or an extended bar code attached to the TSB 510, as well as the country of origin, a manufacturer code, and an article code, which are included in the conventional bar code 512. The TSB 510 further includes a predetermined identifier. Data relating to the valid period are indicated in units of hours when the identifier denotes time, in units of days when the identifier denotes a date, and in units of months when the identifier

denotes a month. Further, the product is a product having no valid period or life cycle when the data relating to the valid period are indicated by '0'.

More specifically, the TSB 510 is separately attached to the product during production by including time expiration data in the conventional bar code comprising the country of origin, a manufacturer's code, and an article code. The time expiration includes three-order data relating to a valid period XXX (from 000 to 999), an identifier for indicating time, date, or month, and a manufacture date YYMMDD or MMDDHH. When the identifier denotes time, manufacture date is given by MMDDHH for month/date/hour, and the data relating to the valid period are indicated in units of hours from 000 to 999. When the identifier denotes a date, manufacture date is given by YYMMDD for year/month/date, and the data relating to the valid period are indicated in units of days from 000 to 999. When the identifier denotes a month, YYMMDD for year/month/date, and the data relating to the valid period are indicated in units of months from 000 to 999. When the data relating to the valid period are indicated by '000', the product does not have a valid period.

There are limitations to the number of order of the conventional bar code, and thus time cannot be added to the conventional bar code. Thus, a conventional bar code, a valid period, an identifier, and a manufacture data/hour are added by using an EAN16 code which can be recognized by conventional bar code scanners.

A conventional bar code 742 is already printed on the wrapping paper of a product, and a manufacture date and a valid period are printed separately or attached when products are supplied for sale. A manufacture time such as manufacture year/month/date/hour, is indicated in a TSB 744. The TSB 744 cannot already be attached to the wrapping paper, is printed using a printer 720 by a computer 710 for

indicating the present time and date of production, is attached separately to the wrapping paper, or printed on the wrapping paper (740). Item parameters 712 such as a discount rate, life cycle and style, and a TSB index are referred to by the computer 710. The Arabic numerals of a manufacture date, which can be easily spotted visually, are separately indicated, and printed or attached (730) so as not to be in conflict with legal indications for safety in distribution of foods and protection of customers.

FIG. 8 is a block diagram of the dynamic price sales system shown in FIG. 5 for illustrating an example in which the TSBA is situated between the convention bar code scanner 530 and the POS terminal 540. The operator 524 (of FIG. 5) for calculating a valid period of the TSBA 520 calculates the expiration time and date elapsed, subtracts time elapsed from the valid period, divides the time equally, attaches an extended bar code to an article code, and applies a discount rate between POS terminals for supporting automatic calculation. Thus, an adaptor 520 is inserted between the POS terminal 540 and the bar code scanner 530, which recognizes a conventional bar code, and thus the TSB 510 and the conventional bar code are used compatibly. As an example of the TSB 510 shown in FIG. 8, an identifier 812, a valid period 814, and manufacture date/hour 816 are added to KAN, as a conventional bar code 810. Further, a TSB code table 804 is included in a POS database 560 with a conventional code table 802.

FIG. 9 illustrates an example in which a TSB algorithm is implemented by software in the conventional POS terminal 540, and database 560. In FIG. 9, a program, in which the TSBA shown in FIG. 8 is not used and to which a TSB algorithm is applied, is applied to the conventional POS terminal 540, thereby realizing a dynamic price sales system. As shown in FIG. 9, a software routine in which a time stamp sales algorithm is applied to the conventional POS terminal having a

RTC is added, thereby performing all functions of a digital filter and an operator for calculating a valid period of the TSBA shown in FIG. 8.

The TSB sales algorithm applied to the POS terminal 540 of FIG. 9 is shown in FIG. 18. Referring to FIG. 18, when conventional article codes such as EAN, KAN, and JAN, are recognized and entered into the bar code scanner 530 (of FIG. 9) functioning as (S1802) a digital filter, calculation of a discount rate is performed in (S1832). When a TSB 510 (of FIG. 9) including predetermined valid period and identifier is recognized and entered into the bar code scanner 530, a price varied according to the time elapsed from manufacture date/hour to time of sale, the valid period, and the identifier is calculated by referring the present time entered from the RTC (S1806) functioning as (S1804) an operator for calculating a valid period. In other words, the time elapsed from the valid period is calculated, a dynamic price is applied to an identical product, sales amount and the amount of stocks according to the time elapsed from the valid period can be determined using a database by calculating an expiration time for each item.

Thus, in the dynamic price sales system, in a case where the RTC and a program is included in the conventional POS terminal, the hardware adaptor (TSBA) is implemented by a software routine, which performs all the functions of a digital filter, and an operator for calculating a valid period is performed. Thus, the time elapsed from the valid period is calculated, a dynamic price is applied to an identical product, and an expiration time for each item can be calculated. An example of the TSB 510 is shown in FIG. 9 where an identifier 912, a valid period 914, and manufacture date/hour 916 are added to KAN as a conventional bar code 910. Further, a TSB code table 904 is included in a POS database 560 with a conventional code table 902.

FIG. 10 illustrates an example in which a TSB function is applied to a bar code scanner having the RTC 510. In FIG. 10, the functions of

a RTC, a digital filter, and an operator are incorporated into the bar code scanner, instead of being implemented by software at the POS terminal shown in FIG. 9. That is, a conventional bar code scanner reads an article code, such as EAN/KAN/JAN, through laser, a CCD array, CCD  
5 matrix, or a photo transistor, converts signals resulted from the read function into digital signals, and transmits data to the POS terminal or a related terminal by decoding the digital signals. The bar code scanner shown in FIG. 10 recognizes a bar code including a manufacture date/hour, a valid period, and an identifier by using the same method as  
10 the scanning method used in the conventional bar code scanner, and decodes signals by using the same method used in the conventional bar code scanner. However, after that, the bar code scanner shown in FIG. 10 performs a time stamp function for calculating time elapsed using the RTC in the bar code scanner having data provided by the TSB,  
15 generates a sub bar code relating to time elapsed or a discount rate including the original data of a conventional bar code, and transmits data to a POS terminal or another terminal.

FIG. 11 illustrates an example in which a time stamp is applied to a radio frequency (RF)-ID. Referring to FIG. 11, an antenna (ANT)  
20 (1120) including a RTC recognizes a RF-ID (1110) including a time stamp (TS) and transmits the RF-ID to the POS terminal 540. The POS terminal 540 is connected to the POS database 560 and compares the manufacture date/hour with the present time, thereby calculating time elapsed and determining a discount rate and a selling price. Thus, the  
25 present invention is not limited to a bar code including a manufacture date/hour and a valid period but may be applied to a RF-ID or a similar code.

FIG. 12 illustrates a price inquiry apparatus 590 of a product employing a TSB, and FIG. 13 illustrates an example in which the TSB is

recognized by the bar code scanner and the present price of the product is checked.

In the product employing a TSB, a dynamic price is automatically calculated and displayed at the POS terminal by using the dynamic sales system according to the time elapsed from the manufacture date/hour. However, if a customer wants to check the present price at a display stand on which the product employing a TSB is displayed, a price inquiry apparatus 590 in the display stand is necessary. Thus, the dynamic price sales system includes a price inquiry apparatus 590. The price inquiry apparatus 590 inquires about the present price of a product from a separate hard disk in which the dynamic price database (1200) of a server is referred, and displays the price on a dynamic price display unit 580, allowing a customer to check the present price. Referring to FIG. 12, the price inquiry apparatus 590 is located near a display stand 1220 and includes a dynamic price display unit 580, a storage temperature recording apparatus 1226, a first temperature infrared sensor 1232, and a first humidity infrared sensor 1234. The storage temperature recording apparatus 1226 may be installed outside the price inquiry apparatus 590 and records the temperature at a place 1220 where a product is kept. As shown in FIG. 12, a second temperature infrared sensor 1222 and a second humidity infrared sensor 1224 may be installed outside the price inquiry apparatus 590. The price inquiry apparatus 590 senses data relating to the temperature and humidity at a place 1220 where a product 1240 is stored or displayed by using the first and second temperature infrared sensors 1232 and 1222 and the first and second humidity infrared sensors 1234 and 1224, and records the data according to time elapsed from the manufacture date/hour when inquiring about the price of the product 1240 to which a time stamp bar code is attached. Data relating to temperature and humidity may be displayed on the dynamic price display unit 580. Further, the recorded

data relating to temperature and humidity are transmitted to the TSBA 520 (of FIG. 8), the POS terminal 540 (FIG. 9), or the bar code scanner 530 (of FIG. 10), all of which are used to calculate a varied price, through a radio frequency (RF) or a wire, and thus data relating to the  
5 temperature and humidity at the place 1220 where a product is stored or displayed are further referred to when calculating a varied price.

The dynamic price in the POS terminal 540 is duplicated, or a receiving portion 1214 receives data relating to a product through a database manager (DBM) 1212 through a RF and/or a wire (LAN/PLC)  
10 from the POS server 1210. The present price of the product is indicated on the dynamic price display unit 580 according to data such as a discount rate for the product received by the receiving portion 1214 and according to the contents of a bar code of the product recognized by the bar code scanner 530 such that a customer can select a desired  
15 product.

In FIG. 13, a product 1300 employing a TSB is used together with a conventional bar code 512, such as EAN/KAN/JAN. The product employing a TSB applies a dynamic price at a TSBA or an enhanced POS (E-POS) terminal having a software algorithm in which a TSBA or  
20 TSB can be recognized, and collects and provides various data for checking the life cycle of products required by manufacturers, thereby optimizing and determining the production quantity according to the forwarding time of a product to reduce the manufacturing cost and to increase the added value of distribution. The conventional bar code  
25 512 and the TSB 510 are printed on or attached to the product such that the present price of the product can be calculated at a conventional POS terminal in which hardware or software for recognizing the TSB is not yet introduced. As shown in FIG. 13, the conventional bar code 512 and the TSB 510 are printed on or attached to the product 1300 employing a

TSB and are scanned by the bar code scanner 530, and thus the present price is indicated on the dynamic price display unit 580.

FIG. 14 illustrates a dynamic price sales method having time elapsed, and a stock-optimization enhanced structure.

- 5           When using a conventional bar code, the quantity of a product is determined (S1402) according to statistics and expectations, and the product is supplied (S1404) and distributed (S1406). As the product sold (S1408) at the POS terminal is sold at a uniform price (S1412), a purchaser's demand (S1416) is made by purchasing (S1414) according to last-in first-out where the latest manufacture date is preferred. Since products having an older manufacture date remain as stocks (S1410), a lost revenue caused by waste increases (S1418), and such a loss is applied to costs (S1422), and thus, a purchaser purchases an identical product at a higher price as a manufacturing cost increases (S1424).  
10           Further, environmental pollution (S1420) occurs due to waste of stocks.

- However, in a case of using a time stamp bar code, the quantity of a product can be optimized (S1450) on the basis of statistical data recorded at a time when the product having a TSB is manufactured and sold. The product sold (S1452) at the enhanced POS (E-POS) terminal is sold at a dynamic price (S1454), and a purchaser's demand (S1458) is made by referring a discounted price and by purchasing (S1456) the product, thereby realizing a first-in first-out method in which a product having an older manufacture date is sold at a discounted price. Thus, stocks are reduced, and a lost revenue caused by waste is minimized (S1462) so that a supplier can reduce costs. The exact life cycle for each item can be checked (S1460) according to manufacture date/hour and a valid period included in the TSB of the product, and stock quantity according to time is optimized (S1464), and the quantity of the product according to time is requested (S1466), and thus the manufacturing cost is reduced (S1468).  
20  
25  
30

FIG. 15 illustrates a method for reducing a manufacturing cost resulting from inventory control according to time elapsed from manufacture date of each item and calculation of reasonable production according to time.

5           In general, the difference between a purchasing unit price (S1502) and a selling unit price (S1504) is a selling profit (S1506). A lost revenue caused by waste (S1508) subtracted from the selling profit (S1506) yields an actual profit (S1510). Maximization of the actual profit can be of benefit to a distributor, a manufacturer, and a customer.

10           In a case of using a conventional bar code system, a product is produced (S1520) and distributed (S1524) according to expectations (S1522) of the quantity to be forwarded. The quantity sold (S1528) subtracted from the quantity purchased (S1526) by a distributor gives the quantity of stocks (S1530). The quantity wasted (S1532) of the  
15           product having an expired valid period is subtracted from the quantity of stocks (S1530) to give actual stocks (S1534). Since the product having a more recent manufacture date tends to be sold at a uniform price (S1538), a vicious cycle (S1540) in which the quantity of products wasted increases, continues, is reflected (S1536) to the manufacturing  
20           costs, the products are produced (S1520), and thus disadvantages are brought to all of a manufacture, distributor and customer.

          In a case of using a time stamp bar code system, time data is added to the time stamp bar code system. The quantity to be forwarded and time (S1552) is determined by referring to a database storing when  
25           and how much of the product is sold, and the product is produced (S1550) and is distributed (S1554). The quantity sold (S1558) is subtracted from the quantity purchased (S1556) purchased by a distributor to give the quantity of stocks (S1560). The quantity of products wasted (S1562), i.e., products having an expired valid period,  
30           of the quantity of stocks (S1560) is minimized as the product is sold at a

TSB dynamic price (S1568), and actual stocks (S1564) are minimized since the quantity (S1556) purchased by a distributor referring a database is proper. Further, the time data (S1566) according to distribution for each stage, such as the quantity sold (S1558), the  
5 quantity of stocks (S1560), and the quantity wasted (S1562), are stored in the database and mirrored to production (S1550).

FIG. 16 illustrates a method for calculating a dynamic price of an item, which is perishable according to the time elapsed since distribution.

10 As shown in FIG. 16, a conventional selling price is maintained at an original selling price until an expiration date approaches, and when the expiration date approaches, the conventional selling price is reduced, for example, to 50% of the original selling price starting from the 6th day before the expiration date. On the other hand, the selling price  
15 according to the present invention is discounted as time elapses.

FIG. 17 illustrates a method for indicating a discount rate according to time by a TSB index. As an example employing a dynamic price, the dynamic price can be calculate by a dynamic price index (DPI) which divides a discount critical rate (DCR) by a valid period T. Of  
20 course, a distributor can refer to the DPI and employ the dynamic price through the experience of his own profit and a selling profit.

FIG. 18 illustrates a TSB sales algorithm. Referring to FIG. 18, a reasonable quantity of products for each time/day/season is produced (S1810), and thus the total quantity of products forwarded (S1812) for  
25 each manufacture date/hour is determined and the products are distributed (S1814). Time of purchasing and the quantity of stocks are optimized for a convenience store, a department store, a supermarket, a cosmetic store, and a liquor store. Then, products are purchased (S1816). A product may have a conventional article code, such as  
30 EAN/JAN/KAN, or a TSB article code (S1818). It is determined

whether the conventional article code such as EAN/KAN/JAN is input into a digital filter, or whether a TSB including a predetermined valid period and a predetermined identifier is input into the digital filter (S1802). When the conventional article code is input into the digital filter, a discount rate is applied such that a varied discount price is calculated (S1832). When the TSB is input into the digital filter, elapsed time is calculated (S1804) by subtracting the manufacture time from the present time input by the RTC (S1806). Next, it is determined whether the elapsed time calculated in (S1804) is longer than the valid period included in the TSB article code (S1802). When the elapsed time is longer than the valid period, the product exceeds the valid period, and thus selling of the product is prohibited (S1822), and data relating to waste are stored in the POS database 560. When the elapsed time is shorter than or the same as the valid period in (S1820), a TSB table (S1826) is referred to, and thus a TSB index is operated (S1824), and a sub bar code relating to the article code, the time elapsed, and the valid period is generated (S1828). The database including the sub bar code and a discount rate, is referred to (S1830), and thus the discount rate is applied such that the varied discount price is calculated (S1832). Thus, a customer purchases an identical product at a discounted price according to the time elapsed from manufacture date/hour (S1836).

Meanwhile, SHT Co., Ltd., an applicant of the present invention, provides a TSB license contract, a TSB software contract, and downloadable services to a manufacturer 1800 through contents supported by a web site <http://www.shtouch.co.kr> 1850 (S1852). Further, the contents stored in the POS database 560 by internet and intranet (S1834) supported by the web site 1850 are provided to the manufacturer 1800. That is, a report (S1838) relating to time of sale in each region, a report relating to a stock time in each region (S1842), and a report relating to a waste time in each region are provided to the

manufacturer 1800, and thus total production (S1840) for each  
manufacture date and time elapsed, total stocks (S1844) for each  
manufacture date and time elapsed, and total waste (S1846) for each  
manufacture date are calculated, and thus a reasonable production yield  
5 (S1848) for each time/day/season is determined.

#### Industrial Applicability

As described above, according to the present invention, sellers  
can sell foods within a valid period at a price varied according to the time  
10 elapsed from a manufacture date such that customers can purchase  
products selectively. As a result, a first-in first-out system out of  
products having limited valid periods is smoothly achieved, thereby  
lowering the quantity of products whose expiration date have elapsed,  
reducing waste processing caused when the valid periods of products,  
15 such as foods, exceeded, and returning profits to suppliers,  
manufacturers, distributors, sellers, and customers.

Further, the valid period can be included in the time stamp bar  
code (TSB), of which an application for a patent has been filed by the  
applicant, and thus a simple software or hardware adaptor can be added  
20 to the conventional POS system, time elapsed can be simply and  
effectively calculated, and a price varied according to the time elapsed  
from the manufacture date can be employed.

Thus, when a discount rate varied according to the characteristics  
of products and the time elapsed from the manufacture date is employed,  
25 and a product employing the discount rate is sold, customers can  
selectively purchase an identical product at a price varied according to  
the time elapsed from the manufacture date.

Compared with a conventional uniform price sales method, a  
distributor can selectively sell foods having an predetermined life cycle  
30 at prices varied according to the time elapsed from the manufacture date,

thereby preventing last-in first-out, reducing the quantity of products wasted, reducing a lost revenue caused by waste, and maximizing profits.

5 A manufacturer can determine a reasonable production yield for each manufacture date of products on the basis of data relating to time of sale elapsed from a production time of each item, data relating to stocks, and data relating to waste, and can supply an optimal quantity of products to a market, thereby reducing over-production and overstocking, and finally, reducing a manufacturing cost. In other words, the life cycle  
10 of a product, which cannot be checked by a conventional distribution method, can be determined, for example, on the basis of data related to when the product was manufactured and forwarded what price the product was sold at, how many products remained, and how many products was wasted. Thus, a reasonable production yield for each  
15 time period can be determined, thereby minimizing a manufacturing cost. That is, a reasonable production yield can be determined according to consumption patterns for each day/month/season/time, and the manufactured product can be supplied to the market, thereby reducing over-production, overstocking, and the quantity of products wasted  
20 caused by an elapsed valid period.

Further, the time stamp bar code of the present invention can be employed in a general product, which may or may not have a limited life cycle, and thus it can be known when supplied products are sold, how many products remain according to time elapsed, and how the products  
25 are distributed according to time, thereby causing renovation and determining the most optimized time and quantity. Production and supply are not made by simple expectations but by the optimization of sales caused by optimized stocks in each region for each demand time. As a result, costs can be reduced, and waste can be minimized, thereby  
30 causing a renovation in distribution.

In particular, the possibility that foods are sold after their expiration dates have elapsed because of a mistake made by a store clerk is prevented completely, thereby solving a problem of harm done to the human body, such as food poisoning occurring, because of a conventional sales method.

While this invention has been particularly shown and described with reference to preferred embodiments thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the spirit and scope of the invention as defined by the appended claims.

What is claimed is:

1. A sales method for varying the price of a product according to the elapsed period from a manufacture date/hour to time of sale by attaching the manufacture date/hour of a product to the product itself or by printing the manufacture date/hour of the product on the product in a sales method of products, each having an expiration date.
2. The method of claim 1, wherein a discount rate is calculated according to units of hours or days from a manufacture date/hour to time of sale in order to sell products that have a limited valid period at a varied price.
3. The method of claim 1, wherein the price of a product is varied according to the elapsed period from a manufacture date/hour to time of sale and according to data relating to a valid period by attaching the data relating to a valid period of the product to the product itself or by printing the data relating to a valid period on the product.
4. The method of claim 3, wherein a discount rate is calculated according to the elapsed period from a manufacture date/hour to time of sale and according to the valid period in order to sell products at a varied price.
5. The method of claim 3 or 4, wherein a predetermined identifier is further attached to the product or printed on the product, and the data relating to a valid period are indicated in units of hours when the identifier denotes time, indicated in units of days when the identifier denotes a day, and indicated in units of months when the identifier denotes a month.

30

6. The method of claim 3 or 4, wherein when data relating to a valid period is indicated by '0' for a product, the product does not have a valid period.

5 7. The method of claim 1 or 2, wherein a hybrid sales method is provided by applying a traditional sales method for giving reductions and something extra when sellers and distributors sell foods face-to-face to customers in a smaller grocery store or a traditional market, to a large-scaled market such as a supermarket, a hypermarket, and a  
10 mass-sales store.

8. The method of claim 1 or 2, wherein when purchasing a product via an internet network, mobile communications, or internet cyber trading, display video data are provided on a monitor at a lower  
15 end portion and side of a screen of the monitor so that a product can be selected after checking the discount rate according to the time elapsed from the manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and data relating to a valid period while seeing the actual product at a display stand through a  
20 camera.

9. The method of claim 1 or 2, wherein the product is sold to a specific purchaser such that the specific purchaser requesting a reservation purchase through internet can purchase products, which are  
25 bought periodically by the specific purchaser, at the cheapest price through cyber trading.

10. The method of claim 1 or 2, wherein the product is sold to

a purchaser according to some questions such as price preferred, time preferred, regardless if the product was purchased and then returned to a seller, for determination of priority.

5           11.     The method of claim 1 or 2, wherein a method for preventing sales receipt fabrication in which a signed sales receipt is put in an electronic envelope and can be only opened by a code key of banking facilities such that an individual trader cannot fabricate a sales receipt is employed.

10

          12.     A sales system in which a discount rate table and prices according to the time elapsed from a manufacture date/hour to time of sale determined by a point of sale (POS) server are transmitted through wires or wireless modem to be displayed on a price indication terminal at  
15     a display stand and are downloaded simultaneously into a POS counter and recorded in the POS counter, and the time elapsed from manufacture date/hour to time of sale is calculated by a real time clock (RTC) at the POS counter so that a discount rate and prices are determined, and a product's price is displayed to a customer.

20

          13.     The system of claim 12, wherein the price indication terminal further includes a bar code reader for inquiring about the current price of a product selected by a customer.

25           14.     The system of claim 12, further comprising a camera used to observe products at sales stands, and a supplier can check whether or not a competitor's product is being displayed at the supplier's own display stand.

30           15.     The system of claim 14, wherein when purchasing a

product via an internet network, mobile communications, or internet cyber trading, display video data are provided on a monitor at a lower end portion and side of a screen of the monitor so that a product can be selected after checking the discount rate according to the time elapsed  
5 from the manufacture date/hour to time of sale, the price, the date when the product was stored in a warehouse, and data relating to a valid period while seeing the actual product at a display stand through a camera.

10           16. The system of claim 12, wherein the product is sold to a specific purchaser such that the specific purchaser requesting a reservation purchase through internet can purchase products, which are bought periodically by the specific purchaser, at the cheapest price through cyber trading.

15           17. The system of claim 12, wherein the product is sold to a purchaser according to some questions such as price preferred, time preferred, and not asked about a returned product, for determination of priority.

20           18. The system of claim 12, comprising an audio apparatus for sensing the presence of a human body by an infrared manual and automatic sensing method and for transmitting data related to a product to a customer when a person approaches the price  
25 indication terminal installed in front of the display stand.

          19. The system of claim 12, wherein an elasticity sensor, a sugar content sensor, a salt content sensor, and a moisture sensor are installed near a targeted sales product so that a customer can know the  
30 elasticity, sugar content, salt content, and moisture of the targeted sales

product in a market or a remote place without having to be there in person.

20. A sales system comprising:

- 5 a bar code including data on the country of origin, a manufacturer code, and an article code and further including a manufacture date/hour of a product, predetermined data relating to a valid period, and a predetermined identifier;
- a bar code scanner for scanning the bar code;
- 10 a time stamp bar code adaptor for reading the manufacture date/hour, the valid period, and the identifier from the contents of the bar code scanned by the bar code scanner and calculating a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier; and
- 15 a point of sale (POS) terminal for receiving a varied price from the time stamp bar code adaptor.

21. The system of claim 20, wherein the time stamp bar code adaptor comprises:

- 20 a digital filter;
- a real time clock (RTC) having the present date and time; and
- an operator for calculating a valid period, and
- wherein the digital filter outputs a conventional article code, such as EAN, KAN, and JAN, to transmit to the POS terminal when the
- 25 conventional article code is recognized by the bar code scanner and entered into the bar code scanner, and the digital filter transmits a time stamp bar code including the manufacture date/hour, predetermined data relating to a valid period, and a predetermined identifier to the operator for calculating a valid period when the time stamp bar code is
- 30 recognized by the bar code scanner and entered into the bar code

scanner, and the operator for calculating a valid period calculates a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, which are entered into the digital filter.

5

22. The system of claim 20 or 21, wherein the time stamp bar code adaptor further includes a display unit for displaying the present date and time of the RTC, and a correction board such as a button for correcting the present date and time.

10

23. The system of claim 20 or 21, wherein the system further includes a price inquiry apparatus, and the price inquiry apparatus records data relating to temperature and humidity according the time elapsed from the manufacture date/hour to time of sale at a place where the product is stored or displayed when the price of a product to which a time stamp bar code is attached is checked.

15

24. A sales system comprising:

a bar code including the country of origin, a manufacturer code,

20

and an article code and further including the manufacture date/hour of a product, predetermined data relating to a valid period, and a predetermined identifier;

a bar code scanner for scanning the bar code; and

a point of sale (POS) terminal comprising a program for reading

25

the manufacture date/hour, the valid period, and the identifier from the contents of the bar code scanned by the bar code scanner and calculating a price varied according to the period elapsed from the manufacture date/hour to time of sale, the valid period, and the identifier, and a real time clock (RTC).

30

25. The system of claim 24, wherein the system further includes a price inquiry apparatus, and the price inquiry apparatus records data relating to temperature and humidity according to the time elapsed from the manufacture date/hour to time of sale at a place where the product is stored or displayed when the price of a product to which a time stamp bar code is attached is checked.

26. A sales system comprising:  
a bar code including the country of origin, a manufacturer code,  
and an article code and further including manufacture date/hour  
of a product, predetermined data relating to a valid period, and a  
predetermined identifier;

a bar code scanner for scanning the bar code, reading the  
manufacture date/hour, the valid period, and the identifier, and  
calculating a price varied according to the period elapsed from the  
manufacture date/hour to time of sale, the valid period, and the identifier,  
the bar code scanner comprising a real time clock (RTC); and

a point of sale (POS) terminal for receiving a varied price from the  
bar code scanner.

20

27. The system of claim 26, wherein the system further includes a price inquiry apparatus, and the price inquiry apparatus records data relating to temperature and humidity according to the time elapsed from the manufacture date/hour to time of sale at a place where the product is stored or displayed when the price of a product to which a time stamp bar code is attached is checked.

28. A code for determining a varied price of a product, the code including a time stamp bar code as an extended bar code or a

separate sub bar code is in a bar code used for automatic recognition of the product.

29. The code according to claim 28, wherein the code is a bar  
5 code, a non-contact IC card, or a RF-ID tag.

30. The code according to claim 28, wherein the wrapping  
paper of a product leaves empty space on the right side of a  
conventional article bar code, and the time stamp bar code is  
10 additionally recorded on the day of manufacture and printed along with a  
valid period and the manufacture date, which can be easily spotted  
visually by customers so that dual tasks can be prevented and a time  
stamp bar code can be attached to the code when the code is a bar code.

15 31. The code according to claim 30, wherein the added bar  
code is printed by an ink jet printing method, a heat-transfer printing  
method, or a heat-reduction printing method, a basic code is printed at  
the back side of the wrapping paper, and an additional code is stamped  
or printed at the front side of the wrapping paper so that a sub bar code,  
20 in which manufacture date is recorded is additionally recorded during  
production of the product, which has a wrapping paper that is made of a  
transparent material, in order to prevent the time stamp bar code from  
being fabricated and altered during distribution.

25 32. The code according to claim 28, wherein the sub bar code  
corresponding to data such as a storage place and method as well as  
manufacture date/hour, is added to a product, such as wine, whose  
commercial value increases with time from the manufacture date/hour.

30 33. A bar code comprising a manufacture date/hour

and predetermined data relating to a valid period, wherein the bar code is included in or separately attached to another bar code, which includes the country of origin, a manufacturer code, and an article code, used for automatic recognition of a product.

5

34. The bar code of claim 33, wherein a predetermined identifier is further included in the bar code, and the data relating to a valid period are indicated in units of hours when the identifier denotes a time, indicated in units of days when the identifier denotes a day, and  
10 indicated in units of months when the identifier denotes a month.

35. The bar code of claim 33, wherein when the data relating to a valid period is indicated by '0', the product does not have a valid period.


15

36. A bar code system for reading data relating to a price employing a discount rate varied in units of time according to the period elapsed from a manufacture date/hour indicated on a sub bar code that was included in or separately attached to a conventional bar code that  
20 the price can be automatically calculated when manufacturing a product and/or forwarding the product from a factory.

37. The system of claim 36, wherein an electronic signature is introduced such that a trader cannot deny a sales act during trading.


25

1/17

**FIG. 1 (PRIOR ART)**

2/17

FIG. 2



APPLY DISCOUNT RATE VARIED ACCORDING TO PRODUCT, SELLER AND TIME ELAPSED FROM MANUFACTURE DATE

D : MANUFACTURE DATE  
D+1 : ONE DAY AFTER MANUFACTURE DATE  
D+2 : TWO DAYS AFTER MANUFACTURE DATE  
D+3 : THREE DAYS AFTER MANUFACTURE DATE (DISCOUNT SALES)  
D+4 : FOUR DAYS AFTER MANUFACTURE DATE (DISCOUNT SALES)  
D+5/6 : EXPIRATION DATE PASSED → WASTE TARGET

ADDITIONALLY PRINT MANUFACTURE DATE/HOUR AND SUB BAR CODE

072109 : MANUFACTURER  
ON JULY 21, AT 9:00 AM  
EXAMPLE OF OTHER TIME STAMP

00721235 : MANUFACTURED ON JULY 21,  
2000, FRIDAY AT 23:00 PM

**FIG. 3**





FIG. 4



5/17

FIG. 5





FIG. 6



**FIG. 7**




FIG. 8







FIG. 9



10/17  
**FIG. 10**




**FIG. 11**




11/17

FIG. 12




12/17

FIG. 13






14/17


**FIG. 15**

15/17


**FIG. 16**

16/17

FIG. 17



**FIG. 18**



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/KR01/01628**A. CLASSIFICATION OF SUBJECT MATTER**

IPC7 G06F 17/60

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y, P	KR 2001-81790 A (NEOPOP CO.) 29 AUGUST 2001 (Family None) * abstract & claims	1-4, 12, 13, 20, 24, 26
Y, P	KR 2001-76970 A (ENET CO.) 17 AUGUST 2001 (Family None) * abstract & claims	1-4, 12, 13
A	KR 2000-50067 A (H. J. PARK) 5 AUGUST 2000 (Family None) * whole documents	1-19
A	KR 2000-38004 A (H. J. SHIN) 5 JULY 2000 (Family None) * whole documents	28-37
A	KR 1998-20899 A (S. K. KIM) 25 JUNE 1998 (Family None) * whole documents	28-37
A	US 5687322 A (CREDIT VERIFICATION CO.) 11 NOVEMBER 1997 (Family None) * whole documents	28-37

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

16 JANUARY 2002 (16.01.2002)

Date of mailing of the international search report

17 JANUARY 2002 (17.01.2002)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office  
Government Complex-Daejeon, Dunsan-dong, Seo-gu, Daejeon  
Metropolitan City 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Jae Wook

Telephone No. 82-42-481-5962



(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
11 April 2002 (11.04.2002)


PCT

(10) International Publication Number  
WO 02/29661 A1

- (51) International Patent Classification<sup>7</sup>: G06F 17/60 (74) Agent: LEE, Young-Pil; The Cheonghwa Building, 1571-18 Seocho-dong, Seocho-gu, Seoul 137-874 (KR).
- (21) International Application Number: PCT/KR01/01628
- (22) International Filing Date:  
27 September 2001 (27.09.2001)
- (25) Filing Language: Korean
- (26) Publication Language: English
- (30) Priority Data:  
2000/57864 2 October 2000 (02.10.2000) KR
- (71) Applicant (for all designated States except US): SHT CO., LTD. [KR/KR]; 138-112 Seoul National University, San 56-1, Shinlim-dong, Kwanak-gu, Seoul 151-742 (KR).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): TAK, Seung-Ho [KR/KR]; 4-105 Plaza Apt., 223, Kil-dong, Kangdong-gu, Seoul 134-768 (KR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report

[Continued on next page]

(54) Title: SALE METHOD AND SYSTEM EMPLOYING PRODUCT PRICE VARYING DEPENDENT UPON VALID DATE OF PRODUCT



(57) Abstract: A sales method, a sales system, a bar code, and a bar code system, which vary a product's price according to the period elapsed from a manufacture date/hour to time of sale and predetermined data relating to a valid period by attaching a bar code, which includes the manufacture date/hour and predetermined data relating to a valid period, to the product or by printing the bar code, each having an expiration date, are provided. Thus, when customers select products whose discount rate is varied according to date and time elapsed from manufacture date/hour, problems relating to wasting and managing vicious stocks caused by last-in first-out purchase of products occurred during conventional distribution can be improved by encouraging first-in first-out purchase of products.